



18

PROTECCIONES PROTECTIVE PADDINGS

FABRICADOS CONFORME A NORMA EN 1177 Y 12503 (AENOR)
MANUFACTURED ACCORDING EN 1177 AND 12503 (AENOR)



GALVAN
SPORT



A

PROTECTORES ANTIRESIÓN - PROTECTIVE PADDINGS MODELOS FABRICADOS CONFORME A NORMA EN 1177 Y 12503 (AENOR)

34700

Protectores antilesión con forma cilíndrica a medida fabricados en espuma de poliuretano de célula cerrada, forrados con tela de trevira plastificada de 620 gr/m² ignífuga M2.

Cylinder shaped protective paddings suitable for dangerous places such as columns, walls. Manufactured in polyurethane closed - cell foam and upholstered with fabric canvas of 620 gr/m² M2 flame retardacy.

Imagen/Picture A



A



B

34701

Protectores antilesión con forma lisa a medida fabricados en espuma de poliuretano de célula cerrada, forrados con tela de trevira plastificada de 620 gr/m² ignífuga M2.

Flat shaped protective paddings suitable for dangerous places such as columns, walls. Manufactured in polyurethane closed - cell foam and upholstered with fabric canvas of 620 gr/m² M2 flame retardacy.

Imagen/Picture B



C



D

34702

Protectores antilesión de dos caras a medida fabricados en espuma de poliuretano de célula cerrada, forrados con tela de trevira plastificada de 620 gr/m² ignífuga M2.

Two - sides protective paddings suitable for dangerous places such as columns, walls. Manufactured in polyurethane closed - cell foam and upholstered with fabric canvas of 620 gr/m² M2 flame retardacy.

Imagen/Picture C

34703

Protectores antilesión de tres caras a medida fabricados en espuma de poliuretano de célula cerrada, forrados con tela de trevira plastificada de 620 gr/m² ignífuga M2.

Three - sides protective paddings suitable for dangerous places such as columns, walls. Manufactured in polyurethane closed - cell foam and upholstered with fabric canvas of 620 gr/m² M2 flame retardacy.

Imagen/Picture D



34704

Protectores anti-resión de cuatro caras a medida fabricados en espuma de poliuretano de célula cerrada, forrados con tela de trevira plastificada de 620 gr/m² ignífuga M2.

Four - sides protective paddings suitable for dangerous places such as columns, walls. Manufactured in polyurethane closed - cell foam and upholstered with fabric canvas of 620 gr/m² M2 flame retardancy.

Imagen/Picture E



36079

Protector de radiador. Consultar modelos.

Radiator protective padding.
Check different models.

Imagen/Picture F

F

34750

Chapa metálica de falta para frontón.

Metallic strap for ball fronton.

Imagen/Picture G



G

34706

Protector publicitario delimitador canchas deportivas.

Boundary protector with ads for sports courts.

Imagen/Picture H



H

I

43023

Biombo.

Screen.

Imagen/Picture I



J

34710

Acolchado perímetro lateral y frontis de frontón.

Foam wall protector for ball fronton.

Imagen/Picture J



PROTECCIONES PROTECTIVE PADDINGS



P. I. Oporto 1, 2. 47520 Castronuño (Valladolid) SPAIN

Tel.: [34] 983 866 333

Mail: clientes@galvansport.com

www.galvansport.com

